



June 28, 2018

File No. 14-08015

Tina M. O'Rourke, Business Manager
Horsham Water & Sewer Authority
617 Horsham Road
Horsham, PA 19044

Reference: 14-08015 – Review of Navy FINAL Soil CERCLA Time-Critical Removal Action – PFAS

Dear Ms. O'Rourke:

On behalf of the Horsham Water and Sewer Authority (HWSA), we have reviewed the following:

- CERCLA Time-Critical Removal Action Memorandum, dated June 11, 2018, provided by the Navy, with subject, "Time-Critical Removal Action, Removal of Soils containing PFOS Exceeding project Screening Levels, Naval Air Station Joint Reserve Base, Willow Grove, PA. NPL Site ID #PAD987277837.

Summary

We note that we previously reviewed the draft of the above document and provided a summary of the document in our review letter, dated May 30, 2018. We appreciate the short-term actions taken by the Navy, the continued studies for long term solutions, and ongoing communications.

Should you have any questions please do not hesitate to contact me.

Sincerely,

A handwritten signature in blue ink that reads "Toby Kessler".

Toby J. Kessler, P.G.
Hydrogeologist
Gilmore & Associates, Inc.

TJK/dmk

cc (by email): Willington Lin, P.E., NAVFAC BRAC Program Management Office East
Michael Shannon, Resolution Consultants (AECOM/Ensafe Joint-Venture)
Lisa Senior, P.G., USGS
Alexander Dyke, P.E., Gilmore & Associates, Inc.
Theresa A. Funk, P.E., Gilmore & Associates, Inc.
Emily Shaw, Gilmore & Associates, Inc.
Michael Bedard, P.E., Arcadis
William Walker, Horsham Township

65 East Butler Avenue | Suite 100 | New Britain, PA 18901 | Phone: 215-345-4330 | Fax: 215-345-8606